



Marine & Offshore
Division

Certificate number: 03416/G0 BV

File number: ACM 135/0301/004

Product code: 7213I

This certificate is not valid when presented without the full attached schedule composed of 7 sections

www.veristar.com

TYPE APPROVAL CERTIFICATE

This certificate is issued to

AMNITEC LIMITED
Merthyr Tydfil - UNITED KINGDOM

for the type of product

NON-METALLIC PIPES/HOSES FOR OIL/PRODUCT/CHEMICAL TANKERS

Chemiflex Marine 1000 hoses

Requirements:

- BUREAU VERITAS Rules for the Classification of Steel Ships
- IBC Code

This certificate is issued to attest that BUREAU VERITAS did undertake the relevant approval procedures for the product identified above which was found to comply with the relevant requirements mentioned above.

This certificate is a renewal of certificate N° 03416/F0 BV expiring on 10/11/2014

This certificate will expire on: 10 Nov 2019

For BUREAU VERITAS,
At BV LONDON, on 01 Aug 2014,
Jon Watson



This certificate remains valid until the date stated above, unless cancelled or revoked, provided the conditions indicated in the subsequent page(s) are complied with and the product remains satisfactory in service. This certificate will not be valid if the applicant makes any changes or modifications to the approved product, which have not been notified to, and agreed in writing with BUREAU VERITAS. Should the specified regulations or standards be amended during the validity of this certificate, the product(s) is/are to be re-approved prior to it/they being placed on board vessels to which the amended regulations or standards apply. This certificate is issued within the scope of the General Conditions of BUREAU VERITAS Marine & Offshore Division available on the internet site www.veristar.com. Any Person not a party to the contract pursuant to which this document is delivered may not assert a claim against BUREAU VERITAS for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by personnel of the Society or of its Agents in establishment or issuance of this document, and in connection with any activities for which it may provide.

The electronic version is available at: <http://www.veristarnb.com/veristarnb/jsp/viewPublicPdfTypepec.jsp?id=co5okj6nat>

BV Mod. Ad.E 530 May 2009

This certificate consists of 3 page(s)

THE SCHEDULE OF APPROVAL

1. PRODUCT DESCRIPTION

Chemiflex Marine 1000 hoses

1.1 Design

Chemiflex Marine 1000 hoses are manufactured from polypropylene and polyester fabric and film with a weatherproof and abrasion resistant outer cover, reinforced with internal and external wire spirals which are electrically bonded to the end connections achieving electrical continuity. End fittings according to the customer's requirements.

1.2 Technical data

Type	Nominal inner Diameter	Maximum working Pressure	Temperature range	Colour
Chemiflex Marine 1000	100 mm / 4"	10.5 bar	+60 °C	Grey/ Light green/ Dark blue
	150 mm / 6"			
	200 mm / 8"			

1.3 Material specification

Inner wire	Polypropylene covered steel/stainless steel/galvanised steel
Wall material	Polypropylene and polyester fabric and films
Outer wire	Galvanised steel

When other choices of materials are used per manufacturer's recommendations, the BV agreement is to be obtained.

2. DOCUMENTS AND DRAWINGS

- Manufacturer' s brochure
- Drawings N° 470 dated 25/10/1984, N° 95/277 dated 10/01/1985, N° 95/306 dated 08/10/1985 and N° 95/370 dated 08/10/1985.

No departure from the above documents shall be made without the prior consent of the Society. The manufacturer must inform the Society of any modification or changes to these documents and drawings.

3. TEST REPORTS

- Certificates of inspection and tests dated 18/06/1987 from the Department of Transport Marine Directorate.
- Satisfactory tests carried out: visual and dimensional checks, hydraulic test, burst test, electrical resistance test and pressure cycle test at ambient temperature with 200 times from 0 to 21 bar.

4. APPLICATION / LIMITATION

4.1 For use as transfer cargo hose assembly on board ships having to comply with the IBC Code and relevant requirements of the Society for the purpose of loading and discharge of petroleum and chemical products.

4.2 Hoses are to be compatible with the cargo and suitable for the cargo temperature. Users, in consultation with the manufacturer, will ensure that materials of hoses assemblies are suitable to be resistant to the chemicals to be conveyed. The composite hoses which are used for the transfer of propylene oxide must be worded "for propylene oxide transfer only".

4.3 The hoses are to be installed according to manufacturer's instructions and Society Rules.

5. PRODUCTION SURVEY REQUIREMENTS

5.1 The products are to be supplied by **AMNITEC LIMITED** in compliance with the type and the requirements described in this certificate.

5.2 This type of product is within the category IBV of BUREAU VERITAS Rule Note NR320.

5.3 BV product certificate is required.

5.4 The manufacturer has declared to Bureau Veritas that the hoses detailed in this certificate are produced at the following production sites:

- The hose bulks are made by Compoflex Abercanaid Merthyr Tydfil (United Kingdom).
- The flexible hoses are completely assembled by AMNITEC LIMITED Abercanaid Merthyr Tydfil Mid. Glamorgan (United Kingdom).

5.3 Each cargo hose, complete with end fittings, before being placed in service, is to be hydrostatically tested at ambient temperature to a pressure not less than 1.5 times its specified maximum working pressure nor more than two fifths its bursting pressure. Visual inspection and dimension inspection are to be carried out.

6. MARKING OF PRODUCT

Each hose assembly shall be marked with at least:

- Manufacturer name or trademark
- Hose designation and size
- Year of manufacture
- Society's brand as relevant

7. OTHERS

This approval is given on the understanding that the manufacturer will accept full responsibility for informing shipbuilders or their sub-contractors of the proper method of fitting and general maintenance of their products and of the conditions of this approval.

*** END OF CERTIFICATE ***